

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Previously Presented) A liquid dispensing apparatus comprising a bottle, a bottle neck liner and a flat-nosed syringe having a plunger and a barrel, the barrel terminating at its distal end in a generally flat face having a diameter corresponding to the diameter of the syringe barrel and being perpendicular to the longitudinal axis of the barrel, the bottle having a bottle neck in which is located the bottle neck liner such that liquid cannot flow between the bottle neck liner and the bottle neck, the bottle neck liner comprising a sleeve comprising an inward step located within the bottle neck, an aperture being defined inwardly of the inward step, wherein the sleeve is dimensioned such that when the syringe barrel is inserted into the sleeve the inward step prevents the syringe barrel from protruding past the step and liquid cannot flow between the sleeve and the barrel, but can leave the bottle only via the aperture and thence the syringe.

2. (Previously Presented) A liquid dispensing apparatus comprising a bottle, a bottle neck liner and a flat-nosed syringe having a plunger and a barrel, the bottle having a bottle neck in which is located the bottle neck liner such that liquid cannot flow between the bottle neck liner and the bottle neck, the bottle neck liner comprising a sleeve defining a bore having an inward step located within the bottle neck, an aperture being defined inwardly of the inward step, wherein the sleeve is

dimensioned such that when the syringe barrel is inserted into the sleeve, the bore sealingly accommodates the distal end region of the syringe barrel with the distal end region in abutment with the inward step, wherein no part of the distal end extends beyond the bore, and wherein liquid cannot flow between the sleeve and the barrel, but can leave the bottle only via the aperture and thence the syringe.

3. (Currently Amended) A liquid dispensing apparatus as claimed in claim 1 ~~or 2~~, wherein the aperture is pre-formed and permanently open.

4. (Currently Amended) A liquid dispensing apparatus as claimed in ~~any preceding claim~~ claim 1, wherein the bottle neck liner has a cylindrical body to engage sealingly inside the bottle neck, wherein the sleeve is spaced from the body, wherein the body and sleeve are connected together by a web of material only at one end of the body and of the sleeve; and wherein at the other end of the sleeve the inward step is located.

5. (Currently Amended) A liquid dispensing apparatus as claimed in ~~any preceding claim~~ claim 1, wherein the sleeve comprises a resilient material.

6. (Currently Amended) A liquid dispensing apparatus as claimed in ~~any preceding claim~~ claim 1, wherein the inward step is a substantially annular inward step.

7. (Currently Amended) A liquid dispensing apparatus as claimed in ~~any preceding claim~~ claim 1, wherein the inward step is located in the region of one end of the sleeve.
8. (Currently Amended) A liquid dispensing apparatus as claimed in ~~any preceding claim~~ claim 1, wherein the liner comprises an outwardly protruding flange extending around at least a portion of an end of the liner and abutting the rim of the bottle neck into which the liner is inserted.
9. (Currently Amended) A liquid dispensing apparatus as claimed in ~~any preceding claim~~ claim 1, wherein the bottle contains liquid medicine.
10. (Currently Amended) A liquid dispensing apparatus as claimed in ~~any preceding claim~~ claim 1, wherein the bottle includes a closure member which can be secured over the bottle neck.
11. (Currently Amended) A method of dispensing liquid from liquid dispensing apparatus as claimed in ~~any preceding claim~~ claim 1, the method comprising the steps of:
- (a) inserting the barrel of the syringe into the bottle neck of the bottle until the distal end of the barrel abuts the inward step;
  - (b) positioning the bottle such that liquid within the bottle contacts the aperture;

- (c) effecting outward movement of a plunger of the syringe to withdraw liquid from the bottle into the barrel;
- (d) positioning the bottle such that liquid within the bottle no longer contacts the aperture;
- (e) removing the barrel from the bottle neck; and
- (f) effecting inward movement of the syringe plunger to dispense liquid from the syringe barrel.

12. (Currently Amended) In combination, a flat-nosed syringe and a bottle neck liner, able to produce, with a bottle, a liquid dispensing apparatus as claimed in ~~any of claims 1 to 10~~ claim 1.